

APOS F8



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera, Wi-Fi Adapter, NFC Sensor Card Reader, 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	6.4kg

APOS F8s



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera, Wi-Fi Adapter, NFC Sensor Card Reader, 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	7.35kg

APOS E6



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	6.5kg

APOS E6s



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter , NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	7.35kg

APOS E9



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera, Wi-Fi Adapter, NFC Sensor Card Reader, 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	6.0kg

APOS E9s



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter , NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	7.3kg

APOS A8



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera, Wi-Fi Adapter, NFC Sensor Card Reader, 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	5.75kg

APOS A8s



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter , NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L470*W300*H495(MM)	Weight (kg)	6.5kg

APOS H01



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L435*W260*H496(MM)	Weight (kg)	4.85kg

APOS H01s



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L435*W260*H496(MM)	Weight (kg)	5.9kg

APOS H02



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera, Wi-Fi Adapter, NFC Sensor Card Reader, 1D/2D Barcode Scanner
Packing Size	L435*W260*H496(MM)	Weight (kg)	5.0kg

APOS H02s




Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores




ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera, Wi-Fi Adapter, NFC Sensor Card Reader, 1D/2D Barcode Scanner
Packing Size	L435*W260*H496(MM)	Weight (kg)	5.8kg

WPOS T8




Applicable Scenarios
Restaurant / Supermarket
Fresh Food Store / Fruit Shop




ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
Weighing Specifications	Model: Aclas OS2X Series Maximum Capacity: 6 / 15 kg	Optional	Wi-Fi Module, Card Reader, Binocular Camera 1D / 2D Barcode Scanner, NFC Sensor AI Recognition Camera
Packing Size	L65*W53*H49(CM)	Weight (kg)	13.5kg

WPOS T8s



Applicable Scenarios
Restaurant / Supermarket
Fresh Food Store / Fruit Shop



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
Weighing Specifications	Model: Aclas OS2X Series Maximum Capacity: 6 / 15 kg	Optional	Wi-Fi Module, Card Reader, Binocular Camera 1D / 2D Barcode Scanner, NFC Sensor AI Recognition Camera, Label Printer
Packing Size	L65*W53*H49(CM)	Weight (kg)	15kg

FPOS E8



Applicable Scenarios

Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L442*W155*H455(MM)	Weight (kg)	6.5kg

FPOS E8s



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L442*W155*H455(MM)	Weight (kg)	6.8kg

FPOS A9



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L442*W155*H455(MM)	Weight (kg)	6.1kg

FPOS A9s



Applicable Scenarios
Supermarkets / Clothing Stores / Restaurants
Pharmacies / Various Retail Stores



ATTRIBUTES

OS	Windows / Android	CPU	i3 / i5 / i7 / J1900 / J6412 / N5095 RK3566 / RK3568 / RK3588
RAM	4G / 8G / 16G	SSD / HDD	64G / 128G / 256G / 1TB
Operator monitor	15.6" BOE(1366*768) 15.6" BOE(1980*1080)	Touch Screen	YTG2511 - 15.6" G+G Capacitive Touch Screen
Customer Display	8-digit LED customer display, 11.6", 13.3" 14", 15.6", 15.6" portrait customer display	Printer	Built-in 58mm Printer Built-in 80mm Printer
LAN	1000Mbps Adaptive Ethernet	Optional	Dual-lens Camera , Wi-Fi Adapter, NFC Sensor Card Reader , 1D/2D Barcode Scanner
Packing Size	L442*W155*H455(MM)	Weight (kg)	6.5kg